

PRECISO CL- SERIES

CL50C/70C



http://www.toptech.tw



Instruction





Feature




- Table top
- Streamlined shape with lively color



- Control button- simply, functional, longer life
- Symbol with picture gives clear and easy understanding
- Safety first with E. STOP



- Moveable tank can storage inside or outside
- Tank with anti-drop, sediment function
- Water tank with quick connector
- Coolant level gauge







Worthy Options - Working Table



Model No.	TF01	TF02
Size	1000*800*700 mm	1200*1000*700 mm
Sample		



Specification

Specification	CL50C	CL70C
Sample Dim.	$\operatorname{Max} \varphi$ 50 mm	Max φ 70 mm
Max.(mm)	20t×60L	20t×100L
Cut off blade	φ255 mm	<i>q</i> 305 mm
Feed method	Hand wheel	
Rotational speed	3000RPM	2500RPM
Cutting depth	200 mm	260 mm
Cutting method	Horizontal	
Vise	Fastener vises (clamping)	Fastener vises (clamping)
Motor power	2HP (1500W)	3HP (2300W)
Machine dimension	850mm(W)x900mm(D)x500mm(H)	950mm(W)x1100mm(D)x500mm(H)
Machine type	Table-top	
Power supply	3φ-AC220V (AC380V)	
Machine weight (Kg)	160	210
Standard accessories	Tool one set, cutting off blade two pcs	
Water tank	50L	
Adjustable spindle rotation speed (option)	3000RPM ±50%(CK-004)	2500RPM ±50%(CK-004)

* All right reserved by Top Tech.